

Advantage Carriage House series

Customize your Advantage Carriage House door.

Choose between raised or beaded panel design and swing or tri-fold style panel arrangement



Beaded Panel Styles









Swing Style



Swing Style 8ft tall door (4 sections high)



Standard Widths 8', 9', 10', 16' and 18'

Standard Heights 6'-6", 7', 7'-6", 8'

12'

14',15'

16'

18'

Swing Style 8ft tall door	
(4 sections high)	

Tri-Fold Style 7ft tall door (3 sections high)





8

10

12 12











Tri-Fold Style 8ft tall door (4 sections high)







Window Options

Garage door windows have a great deal to do with the overall look of any garage door. General Doors' Advantage Carriage House doors up to 10' wide are available with either two windows (Long Panel) or three windows (Short Panel), plus several distinctive design trim styles that work with a variety of architecture. Wider doors have different layouts. Color matched frames and design trim inserts that snap-in and snap-out for easy glass cleaning are standard. Advantage CH windows are clear DSB glass.

Swing Style



Clear Long Panel



397 Colonial Long Panel



287 Arched Colonial Long Panel







388 Somerton Long Panel





591 Cascade Long Panel

Tri-Fold Style



Clear Short Panel



397 Colonial Short Panel




591 Cascade Short Panel

Use our industry leading door design software to view our doors on your home



visit general-doors.com









Color Options

Our Advantage CH is available in three color choices. Although doors should not need repainting, if a custom color is required, our paint system provides an excellent base for any field applied paint.



Here's why we can offer a "Lifetime Rust-Through Warranty"

A standard feature of the Advantage Carriage House is our tough, anti-corrosion protection - inside and out.

Baked-on Polyester Top Coat (1.0 mil. thick)

Primer Coat

Hot-dipped Zinc Coat (Galvanized)

Base Steel



Heavy-duty track with a unique elliptical curve that reduces the force necessary to roll the door along the track, making opening and closing easier and smoother. Full leaf, heavy gauge hinges, and nylon rollers with steel bearings offer superior strength and years of trouble-free operation.



Decorative Hardware

General Doors' decorative hardware is an ideal way to customize an Advantage Carriage House door. Inspired by antique carriage door hardware and available in wrought iron or flat black, this finishing touch can transform the look of any door and even the look of your home.






stamped steel colonial

stamped steel carriage


wrought iron colonial

wrought iron carriage

"Wrought Iron" style - 1/4" thick
"Stamped Steel" style - 1/8" thick







Details are what separate a well designed door from an ordinary door.

For homeowners or home builders who want the timeless look of carriage house doors, **General Doors offers the Advantage Carriage** House, a door that is distinguished not only by the improved appearance of larger windows and fine detailing, but also energy efficiency, quality features, and low maintenance.



Lifetime limited warranty against rust-through and/or delamination of door face. See dealer for complete warranty information.

Green Building Benefits Energy savings from insulation value, local manufacturing, recycled content, and product longevity.







Your Local Authorized General Doors Distributor:


© 2019, General Doors Corporation

Printed in U.S.A.



1 Monroe Street PO Box 205 Bristol, PA 19007-0205 215.788.9277 Fax: 215.788.9450 general-doors.com sales@general-doors.com






Newport200 series carriage house

Newport 200 Carriage House Insulated Steel Garage Doors

The Newport 200CH offers homeowners, as well as home builders, the timeless look of carriage house doors, one of the industry's highest insulation values, and the strength and practicality of pre-finished steel in a variety of colors. This is a premium, highly energy efficient door featuring a calculated insulation value of R-18.

- Sandwich-type construction with 2" polyurethane insulation, pressure bonded between two skins of 26 gauge (.017) G60 steel
- Steel is rust-proofed with hot-dipped galvanizing, pre-painted on both sides with a primer, and finished with a top coat of baked on polyester for an exterior paint thickness of 1.0 mil
- Three layer construction provides a calculated insulation value of R-18, along with exceptional strength and a substantial, solid feel during operation
- · Finely detailed stamped carriage panels with a deep woodgrain texture
- Panel options include Short Recessed Grooved Panel, Long Recessed Grooved Panel, and Long Recessed Flat Panel
- Tongue and Groove section joint with bulb seal for tight closure
- Thermal break between steel skins for maximum energy efficiency
- 11 factory finish colors to choose from, including four wood look finishes

Panel Options



Sizes

Standard widths: 8', 9', 10', 12', 16' and 18' Special order widths are available in 1" increments up to 20'

Standard heights: 6'6", 7', 7'6", and 8' 7'6" & 8' tall doors are available as either 4 or 5 sections high

Number of Panels Across

Width	Short Panel/Long Panel	
8', 9' & 10' wide	4	2
12', 14' & 15' wide	e 6	3
16', 18' & 20' wide	8	4


Decorative Hardware





Personalize the look of your Newport Carriage House door by adding a custom window design

Window Options/snap-in Inserts


Glazing options include single or double glazed in clear, obscure, or frosted glass.

















Almond





Brown











*Recessed Flat Panel doors in these colors will be single direction. **N/A in Recessed Flat Panel




Section joint detail

Modified tongue and groove joint

Placed closer to the exterior of the door to limit air and water infiltration

Bulb seal-prevents air leaks



transfer

Continuous polyurethane insulated core of high density foam resulting in a R-Value of 18


Heavy duty internal steel backer plate at each hinge location

Use our industry leading door design software

ENVISION

visit general-doors.com

Standard features of the Newport Carriage House Series includes our tough, anti-corrosion protection - inside and out. Hardware includes heavy-duty track with a unique elliptical curve that reduces the force necessary to roll the door along the track, making opening and closing easier and smoother. Full leaf, heavy gauge hinges, and nylon rollers with steel bearings offer superior strength and years of trouble-free operation.



Newport 200CH in Short Recessed Grooved Panel with 591 Cascade LP inserts. Shown with stamped carriage hardware.

High-strength, rust-resistant, pre-painted galvanized steel sheets

Available in a variety of colors to match the beauty of your home

Galvanized steel endcaps

Heavy duty for additional strength

Deep woodgrain embossing

The durability of steel without the maintenance hassle of wood

Flexible 3" vinyl bottom seal

With a rust-resistant aluminum retainer

Lifetime limited warranty against rust-through and/or delamination of door face. Three year hardware warranty. See dealer for complete warranty information.

Green Building Benefits
Energy savings from insulation
value, local manufacturing,
recycled content, and product longevity.





Your Local Authorized General Doors Distributor:

© 3-2021, General Doors Corporation

Printed in U.S.A.



1 Monroe Street PO Box 205 Bristol, PA 19007-0205 215.788.9277 Fax: 215.788.9450 general-doors.com sales@general-doors.com





Newport200 series RAISED PANEL

Newport 200 Insulated Steel Garage Doors

The Newport 200 offers homeowners, as well as home builders, the classic look of raised panel doors, one of the industry's highest insulation values, and the strength and practicality of pre-finished steel. This is a premium, highly energy efficient door featuring a calculated insulation value of R-18.

- Sandwich-type construction with 2" polyurethane insulation, pressure bonded between two skins of 26 gauge (.017) G60 steel
- Steel is rust-proofed with hot-dipped galvanizing, pre-painted on both sides with a primer, and finished with a top coat of baked on polyester for an exterior paint thickness of 1.0 mil
- Three layer construction provides a calculated insulation value of R-18, along with exceptional strength and a substantial, solid feel during operation
- · Finely detailed raised panels with a deep woodgrain texture
- · Panel options include Short Raised Panel, Long Raised Panel, and Flush Panel
- · Tongue and Groove section joint with bulb seal
- · Thermal break between steel skins
- 12 factory finish colors to choose from, including three wood look finishes

Sizes

Standard widths: 8', 9', 10', 12', 16' and 18' Special order widths are available in 1" increments up to 20'

Standard heights: 6'6", 7', 7'6", and 8' 7'6" & 8' tall doors are available as either 4 or 5 sections high

Number of Panels Across

Width	Short Panel/Long Panel		
8' & 9' wide	4	2	
10' wide	5	2	
12' wide	6	3	
16' & 18' wide	8	4	


Panel Options




Personalize the look of your Newport door by adding a custom window design


Window Options/snap-in Inserts

Glazing options include single or double glazed in clear, obscure, or frosted glass.













Wood Look Colors

Color Options

591 Cascade SP - 4 Lite

393 Cathedral SP

306 Sherwood SP







591 Cascade LP

587 Wyndbridge LP

588 Wyndbridge Arch LP

488 Somerton LP - 10 Lite













Cafe



Walnut

Oversized Window Options/one-piece injection molded frames





Driftwood Medium Oak Light Oak



Black Bronze

Section joint detail

Modified tongue and groove joint-


Placed closer to the exterior of the door to limit air and water infiltration

Bulb seal-prevents air leaks R-Value of 18

Continuous polyurethane insulated core of high density foam resulting in a

Continuous full width horizontal steel reinforcing strip for hinge attachment

Standard features of the Newport Series includes our tough, anti-corrosion protection - inside and out. Hardware includes heavy-duty track with a unique elliptical curve that reduces the force necessary to roll the door along the track, making opening and closing easier and smoother. Full leaf, heavy gauge hinges, and nylon rollers with steel bearings offer superior strength and years of trouble-free operation.



Newport 200 in Short Raised Panel with 591 Cascade LP inserts



Lifetime limited warranty against rust-through and/or delamination of door face. Three year hardware warranty. See dealer for complete warranty information.

Green Building Benefits Energy savings from insulation value, local manufacturing, recycled content, and product longevity.

Thermal break-prevents heat transfer





Your Local Authorized General Doors Distributor:

© 10-2019, General Doors Corporation

Printed in U.S.A.



1 Monroe Street PO Box 205 Bristol, PA 19007-0205 215.788.9277 Fax: 215.788.9450 general-doors.com sales@general-doors.com







Model SRP Steel Raised Panel Garage Doors

We have captured the timeless elegance of a raised panel door and combined it with the durability, security, and low maintenance of pre-finished 24 gauge steel. Compare our Steel Raised Panel(SRP) model with any other make of steel door. The manufacturing quality and superior appearance are readily apparent after installation and for years to come.

- 2" thick Pan-type door constructed with full 24 gauge steel (.022 thickness)
- Steel is rust-proofed with hot-dipped galvanizing, pre-painted on both sides with a primer, and finished with a top coat of baked on polyester for an exterior paint thickness of 1.0 mil
- Optional factory installed 1-1/2" thick polystyrene insulation with calculated R-value of 6.85 increases energy efficiency while reducing noise levels
- Finely detailed woodgrain surface with deeply embossed panels for a sharp, well-defined appearance
- Raised panel sizes of appropriate proportions and spacing ensure all door sizes have an authentic raised panel look.
- Tog-L-Loc fastening system provides strength to joints without burning or piercing the metal
- · Rivet-free door surface creates smooth, uniform look
- · 4 factory finish colors to choose from

Hardware includes heavy-duty track with a unique elliptical curve that reduces the force necessary to roll the door along the track, making opening and closing easier and smoother. Full leaf, heavy gauge hinges, and rollers with steel bearings offer superior strength and years of trouble-free operation.



Sizes Standard widths: 8', 9', 10', 16' and 18' Special order widths are available in 1" increments up to 20'

Standard heights: 6'6", 7', 7'6", and 8' or 8'2"

Number of Panels Across

Width	Panels
8', 9' & 10' wide	4
12' & 14' wide	6
15', 16' & 18' wide	8
20' wide	10

Use our industry leading door design software to view our doors on your home

ENVISIÓN visit general-doors.com

Details distinguish well designed doors from ordinary doors

Color Options

Our SRP is available in four color choices. Although doors do not need repainting, if a custom color is required our paint system provides an excellent base for any field applied paint.



A standard feature of the SRP is our tough, anti-corrosion protection - inside and out.

Baked-on Polyester Top Coat

Primer Coat

Hot-dipped Zinc Coat (Galvanized)


Base Steel

Our heavy 24 gauge steel is the thickest steel available for a residential garage door, making it strong, secure and more dent resistant

Durable two coat baked-on polyester finish on top of G-40 hot-dipped galvanized steel

Finely detailed wood grain texture and deeply embossed panels






polystyrene insulation with rigid vinyl backing and a calculated R-value of 6.85 increases energy efficiency while reducing noise levels


> Resilient vinyl weather strip minimizes air infiltration



Window Options

Garage door windows have a great deal to do with the overall look of any garage door. General Doors' SRP doors up to 10' wide are available with either two windows (long panel) or four windows (short panel), plus several distinctive design trim styles that work with a variety of architecture. Wider doors have different layouts. Color matched frames and design trim inserts that snap-in and snap-out for easy glass cleaning are standard. SRP windows are DSB (double strength) glass.







10-year limited warranty against rust-through. Three year hardware warranty. See dealer for complete warranty information.

Green Building Benefits
Energy savings from insulation
value, local manufacturing,
recycled content, and product longevity.







Your Local Authorized General Doors Distributor:

Tour Essai Admonized denoral posts pistributor.

©11-2019, General Doors Corporation

Printed in U.S.A.



1 Monroe Street PO Box 205 Bristol, PA 19007-0205 215.788.9277 Fax: 215.788.9450 general-doors.com sales@general-doors.com







Advantage Insulated Steel Garage Doors

For homeowners or home builders who want the the classic look of raised panel doors, the insulation value of a stable polystyrene core, and the strength and practicality of pre-finished steel, General Doors offers the Advantage Raised Panel line.

- Sandwich-type construction with 1-3/8" polystyrene insulation, pressure bonded between two skins of 26 gauge G60 steel
- Steel is rust-proofed with hot-dipped galvanizing, pre-painted on both sides with a primer, and finished with a top coat of baked on polyester for an exterior paint thickness of 1.0 mil
- Three layer construction provides a calculated insulation value of R-6.7, along with exceptional strength and a substantial, solid feel during operation
- Finely detailed woodgrain surface with deeply embossed panels for a sharp, well-designed appearance
- Raised panel sizes of appropriate proportions and spacing ensure all door sizes have an authentic raised panel look.
- · Also available in a Flush Panel design
- Double Tongue and Groove section joint for the tightest section fit possible
- · Thermal break between steel skins
- 4 factory finish colors to choose from

Hardware includes heavy-duty track with a unique elliptical curve that reduces the force necessary to roll the door along the track, making opening and closing easier and smoother. Full leaf, heavy gauge hinges, and rollers with steel bearings offer superior strength and years of trouble-free operation.



Sizes

Standard widths: 8', 9', 10', 12', 16' and 18' Special order widths are available in 1" increments

Standard heights: 6'6", 7', 7'6", and 8'

Number of Panels Across

Width	Panels
8', 9' & 10' wide	4
12' & 14' wide	6
15', 16' & 18' wide	8

Use our industry leading door design software to view our doors on your home




Details distinguish well designed doors from ordinary doors

Color Options

Our Advantage is available in four color choices. Although doors should not need repainting, if a custom color is required, our paint system provides an excellent base for any field applied paint.















Window Options

Garage door windows have a great deal to do with the overall look of any garage door. General Doors' Advantage doors up to 10' wide are available with either two windows (long panel) or four windows (short panel), plus several distinctive design trim styles that work with a variety of architecture. Wider doors have different layouts. Color matched frames and design trim inserts that snap-in and snap-out for easy glass cleaning are standard. Advantage windows are either single or insulated glass.





Lifetime limited warranty against rust-through and/or delamination of door face. See dealer for complete warranty information.

Green Building Benefits Energy savings from insulation value, local manufacturing, recycled content, and product longevity.








Your Local Authorized General Doors Distributor:

© 2019, General Doors Corporation

Printed in U.S.A.



1 Monroe Street PO Box 205 Bristol, PA 19007-0205 215.788.9277 Fax: 215.788.9450 general-doors.com sales@general-doors.com



Carriage House Style Doors With An Elegant, Distinctive Look

> Quality Door Solutions Since 1947


Advantage Estate Insulated Steel Garage Doors

For homeowners or home builders who want the timeless look of carriage house doors, the insulation value of a stable polystyrene core, and the strength and practicality of pre-finished steel, General Doors offers a very cost effective alternative in the beaded panel design of the Advantage Estate line of doors.

Three Layer Construction Using Full 26 Gauge G-60 Galvanized Steel Skins Inside *and* Outside

- Natural wood grain texture with a distinctive beaded panel design
- Unique center bead simulates authentic old-time swinging carriage door look
- Durable 2-coat baked-on polyester paint finish on both sides of door
- Sandwich-type construction with 1-3/8" polystyrene insulation, pressure bonded between two skins of 26 gauge hot-dipped galvanized steel (R-value 6.7)


- Sandwich (three layer) construction provides exceptional strength, stability, and a substantial, solid feel during operation
- Double tongue and groove joint for the tightest section fit possible
- Thermal break between steel skins
- Heavy-duty track with our exclusive elliptical curve for smooth operation
- Heavy-duty hardware and commercial grade 14 gauge full leaf hinges are standard
- Three-year hardware warranty



8', 9', and 10' Wide Doors



12', 14', and 15' Wide Doors



16' and 18' Wide Doors

Sizes


Standard widths: 8', 9', 10', 16', and 18' Special order widths are available up to 18' Standard heights: 6'6, 7'0, 7'6, and 8'0





WINDOW OPTIONS

Garage door windows have a great deal to do with the overall look of any garage door. General Doors' Advantage Estate doors up to 10' wide are available with either two windows (long panel) or four windows (short panel), plus several distinctive design trim styles that work with a variety of architecture. Wider doors have different layouts. Color matched frames and design trim inserts that snap-in and snap-out for easy glass cleaning are standard.



397 Stockton 12 Lite Long Panel

588 Wyndbridge Arch Long Panel

388 Somerton 8 Lite Long Panel

587 Wyndbridge Long Panel

Decorative Hardware

The decorative hardware of General Doors is an ideal way to customize an Advantage Estate door. Inspired by antique carriage door hardware and available in wrought iron or flat black, this finishing touch can transform the look of any door and even the look of the home.



Colors



There's an Advantage Estate Door for Every Garage

Sandwich-type construction with 26 gauge steel _ both sides

Durable two coat baked-on polyester finish on top of G-60 hot dipped galvanized steel, inside and out

Space to mount decorative hinges

Exclusive center-bead enhances swing door look

Unique, double tongue-in-groove joint with thermal break

Sharply defined beaded panels

Details distinguish well designed doors from ordinary doors. Details define style. Advantage Estate doors feature deep beaded panels and an exclusive center bead. Details make the difference.

Resilient vinyl weather strip minimizes air filtration

Lifetime limited warranty against rust-through and/or delamination of door face. See dealer for complete warranty information.

Green Building Benefits

Energy savings from insulation value and local manufacturing, recycled content, and product longevity.









Your Authorized General Doors Distributor:



24 Gauge Steel and Superior Finish Combined with an Elegant and Distinctive Look

> Quality Door Solutions Since 1947

Homestead Carriage House Steel Garage Doors

For homeowners or home builders who want the timless look of carriage house doors, combined with the durability and low maintenance of pre-finished 24 gauge steel, General Doors offers the Homestead Series.

Our 24 gauge construction is 17% thicker than 25 gauge and 31% thicker than 26 gauge

- The Homestead is 2" thick Pan-type door constructed with full 24 gauge steel (.022 thickness)
- Steel is rust-proofed with hot-dipped galvanizing, pre-painted on both sides with a primer, and finished with a top coat of baked-on polyester for an exterior paint thickness of 1.0 mil
- Natural woodgrain texture with a distinctive beaded panel design

- Unique center bead simulates authentic old-time swinging carriage door look
- Rivet-free door surface creates smooth, uniform look
- Tog-L-Lock fastening system provides strength to joints without burning or piercing the metal
- Resilient vinyl weather strip on door bottom with aluminum retainer minimizes air infiltration
- Optional factory installed 1-1/2" polystyrene insulation with a vinyl backing increases R-value to 6.85



8', 9', and 10' Wide Doors



12', 14', and 15' Wide Doors



16' and 18' Wide Doors

Sizes Available

Standard widths: 8', 9', 10', 16' and 18'

Standard heights: 6'6, 7'0, 7'6, 8'0 (8' is 5 sections high)

Special order widths: Available up to 20'. Consult your dealer.

Number of Panels Across:


6' to 7'6 wide	3 panels
7'8 to 10' wide	4 panels
12' to 15' wide	6 panels
16' to 18' wide	8 panels
20' wide	10 panels





WINDOW OPTIONS

Garage door windows have a great deal to do with the overall look of any garage door. General Doors' Advantage Estate doors up to 10' wide are available with either two windows (long panel) or four windows (short panel), plus several distinctive design trim styles that work with a variety of architecture. Wider doors have different layouts. Color matched frames and design trim inserts that snap-in and snap-out for easy glass cleaning are standard.



Decorative Hardware

The decorative hardware of General Doors is an ideal way to customize a Homestead Carriage House door. Inspired by antique carriage door hardware and available in wrought iron or flat black, this finishing touch can transform the look of any door and even the look of your home.





There's a Homestead Carriage House Door for **Every Garage**



Details distinguish well designed doors from ordinary doors. Details define style. **Homestead Carriage House** Doors feature deep beaded panels and an exclusive center bead. Details make the difference.

Exclusive center bead enhances swing door look


Distinctive beaded panel provides more authentic detail

24 gauge steel is thicker and more dent resistant; Your door will look better longer

Durable two coat baked-on polyester finish on top of G40 hot-dipped galvanized steel

Decorative hardware available in wrought iron or flat black

Resilient vinyl weather strip minimizes air infiltration



10-year limited warranty against rust-through. One-year limited warranty overall.

Green Building Benefits

Energy savings from insulation value, recycled content, and product longevity.







1 Monroe Street PO Box 205 • Bristol, PA 19007-0205 215.788.9277 • Fax: 215.788.9450 general-doors.com sales@general-doors.com



Your Authorized General Doors Distributor:



Carriage House Style Doors with Overlay Trim Boards

Lancaster Series Insulated Steel and Vinyl Garage Doors

For homeowners or home builders who want the timeless look of an authentic carriage house door, including an oversize window section, built on an insulated core with virtually maintenance-free materials, General Doors offers the Lancaster Series of overhead garage doors.


Four Layer Construction Using Full 26 Gauge G-60 Galvanized Steel Skins Inside and Outside and a Solid PVC Overlay


- Unlimited classic carriage house designs are available by combining any of four base colors, eight door designs, eight window options, and a large selection of applied decorative hardware
- Four layer sandwich-type construction using prefinished materials (steel + insulation + steel + PVC overlay)
- 1-3/8" polystyrene core and a thermal break between inside and outside skins result in R-value of 6.7

- Double tongue and groove joint for the tightest section fit possible
- Durable two-coat baked-on polyester finish on both sides of base door
- Cellular PVC overlay is totally moisture and insect resistant – meaning no rust, cupping, warping, or splitting
- Use of one-piece sheet of PVC eliminates seams in overlay
- Details like molded edges and center kerf create a finished look
- Heavy-duty hardware includes nylon rollers for quiet operation and full leaf 14 gauge hinges



Door Designs










WINDOW OPTIONS

Garage door windows have a great deal to do with the overall look of any garage door. The lite styles shown here can be matched with any door design except for the barn style designs, which are solid only.



Decorative Hardware

The decorative hardware of General Doors is an ideal way to customize a Lancaster door. Inspired by antique carriage door hardware and available in wrought iron or flat black, this finishing touch can transform the look of any door and even the look of the home.



Base Door Colors



Painting

The white surface on the PVC overlay as it is supplied reflects most of the sun's rays, so expansion due to increased temperature is not a problem. However, painting PVC can change this by creating a surface that absorbs much more heat from sunlight. This property is measured by the LRV (light reflective value) of the paint. A lower value, usually a darker color, absorbs more heat. If exposed to direct sun, this could cause expansion and bowing of the overlay. Avoid painting the PVC with a paint having an LRV value of less than 55. Doing so will void the warranty.

Painting the base steel door with a high quality exterior latex paint will not cause any problems.

Consider using a Cambridge Model door with composite overlays if a darker color scheme is required.

There's a Lancaster Door for Every Garage

One piece overlay eliminates seams that can open up or curl

Solid PVC with precision milled molded edges add architectural detail to doors

Space to mount decorative hinges above section joint

Center kerf enhances swing door look

Bright white color overlays highlight door design

Base door has natural woodgrain texture

Details distinguish well designed doors from ordinary doors. Details define style. Take the time to compare General Doors with any other manufacturer. You will see the difference.



Limited lifetime warranty against rust-though and a five year warranty against delamination of overlays. See dealer for complete warranty information.

Green Building Benefits
Energy savings from insulation
value, local manufacturing,
recycled content, and product longevity.

1 Monroe Street
PO Box 205 • Bristol, PA 19007-0205
215.788.9277 • Fax: 215.788.9450
general-doors.com
sales@general-doors.com



Your Authorized General Doors Distributor:



