



# BERKSHIRE® Shingles



Sherwood Beige†



**TOTAL PROTECTION. TOTAL CONFIDENCE.®**



**SEAL.**



**DEFEND.**



**BREATHE.**



## BERKSHIRE<sup>®</sup> Shingles

### A modern expression of a classic style.

With their timeless beauty and understated elegance, it's no wonder slate roofs adorn some of the most beautiful buildings in the world.

**Berkshire<sup>®</sup>** Shingles combine the classic look of slate with modern technologies and expressive colors that are inspired by nature but not limited by it. The result? A bold look that will last for years to come and never go out of style. Plus, our color-matched Berkshire<sup>®</sup> Hip & Ridge Shingles will finish your roof beautifully.

- Limited Lifetime Warranty<sup>\*\*††</sup> for as long as you own your home
- 130 MPH Wind Resistance Limited Warranty<sup>\*</sup>
- StreakGuard™ Protection with a 15-year Algae Resistance Limited Warranty<sup>\*</sup>

### Home sweet home.

Home is where you want to feel the most comfortable and protected. It can be a source of pride and an expression of your personality. But when the time comes to purchase a new roof, it's easy to feel overwhelmed. Don't worry. Owens Corning<sup>®</sup> Roofing and your contractor are here to help. We'll make it easy for you to select the right shingle for your type of home and sense of style. You can feel confident about choosing our roofing products — Owens Corning has been a recognized leader in the building industry for over 75 years. And we take pride in being America's Most Trusted Roofing Brand.<sup>SS</sup>

By choosing Berkshire<sup>®</sup> Shingles, you can transform the look of your entire home with a classic, elegant look that will stand the test of time. This is your chance to choose a roof that not only has outstanding performance and protection, but also provides exceptional beauty and comfort. So you'll feel right at home every time you pull in the driveway.

### Protected. Proud. Home.



Colonial<sup>†</sup>



Canterbury Black†



Colonial†



Concord†



Manchester Grey†



Sherwood Beige†

## Product Attributes

### Warranty Length\*

Limited Lifetime\*\* (for as long as you own your home)

### Wind Resistance Limited Warranty\*

130 MPH

### Algae Resistance Limited Warranty\*

15 Years

### TRU PROtection® Non-Prorated Limited Warranty\* Period

10 Years

## Berkshire® Shingles Product Specifications

Size	18¾" x 38"
Weight per Square	360 lbs.
Application Exposure	8¾"
Shingles per Bundle	9
Shingle Count per 5 Bundles	45
Coverage per 5 Bundles	99.5 sq. ft.

## Berkshire® Hip & Ridge Product Specifications

Nominal Size	12" x 10⅝"
Exposure	8"
Pieces per Carton	30
Lineal Feet per Carton	20

## Applicable Standards and Codes

ASTM D228

ASTM D3018 (Type 1)

ASTM D3161 (Class F Wind Resistance)

ASTM D3462

ASTM D7158 (Class H Wind Resistance)

ASTM E108/UL 790 (Class A Fire Resistance)

CSA A123.5§

Florida Product Approval

ICC-ES AC438#

Miami-Dade County Product Approval\*\*

PRI ER 1378E01

\* See actual warranty for complete details, limitations and requirements.

\*\* Applies for all areas that recognize a Miami-Dade notice of Acceptance (NOA).

† Actual colors and granule blends may vary from the photo. We suggest that you view actual product on the roof to get a better idea of the finish color. Color availability subject to change without notice. Ask your professional roofing contractor for samples of colors available in your area.

†† 40-Year Limited Warranty on commercial projects.

§ Only on product sold in Canada.

§§ 2018 Roofing Brand Awareness Study by Owens Corning Roofing and Asphalt, LLC.

# International Code Council Evaluation Services Acceptance Criteria for Alternative Asphalt Shingles.

^ Excludes non-Owens Corning® roofing products such as flashing, fasteners, pipe boots and wood decking.

Shingles are algae resistant to help control the growth of algae and discoloration.

Disclaimer of Liability

Technical information contained herein is furnished without charge or obligation and is given and accepted at recipient's sole risk. Because conditions of use may vary and are beyond our control, Owens Corning makes no representation about, and is not responsible or liable for the accuracy or reliability of data associated with particular uses of any product described herein.



# Total Protection Roofing System<sup>® ^</sup>

## TOTAL PROTECTION SIMPLIFIED™



Owens Corning<sup>®</sup> Total Protection Roofing System<sup>® ^</sup> integrates engineered Owens Corning<sup>®</sup> components that work together to address these three primary performance areas, critical to a high-performance roof, while also making it easy to understand the importance of each. **With Owens Corning, it's easy to confidently deliver protection, beauty and peace of mind.**

### SEAL.


SELF-ADHERED ICE & WATER BARRIER  
SYNTHETIC UNDERLAYMENT

### DEFEND.

STARTER SHINGLES  
LAMINATE SHINGLES  
HIP & RIDGE SHINGLES

### BREATHE.

INTAKE VENTS  
EXHAUST VENTS



### + COMFORT.

PINK<sup>®</sup> FIBERGLAS<sup>™</sup>  
BLOWN-IN  
ATTIC INSULATION



**OWENS CORNING ROOFING AND ASPHALT, LLC**  
ONE OWENS CORNING PARKWAY  
TOLEDO, OHIO, USA 43659  
**1-800-GET-PINK<sup>®</sup>**  
[www.owenscorning.com/roofing](http://www.owenscorning.com/roofing)

Pub.No. 10003277-M. Printed in U.S.A. October 2019.  
THE PINK PANTHER<sup>™</sup> & © 1964–2019 Metro-Goldwyn-Mayer Studios Inc.  
All Rights Reserved. The color PINK is a registered trademark of Owens Corning.  
© 2019 Owens Corning. All Rights Reserved.





TruDefinition®  
**DURATION® DESIGNER COLORS COLLECTION**  
Shingles *with Patented SureNail® Technology*



Sedona Canyon†




## *Intense Harmony*

Bright. Bold. Brilliant. The world around us is full of color. From the cars we drive to the appliances we buy, we choose the colors that reflect our personal style. Don't overlook the power of using color on your roof to help coordinate exterior accents like paint, trim and even landscaping. If you're looking to add more drama to your home or give it a knockout new look, you'll be amazed at the difference that TruDefinition® Duration® Designer Colors Collection Shingles can make - they offer brilliant impact and curb appeal like you've never imagined. And when your home's elements work in harmony, the look will be undeniably spectacular.

### **Duration® Designer Shingles Offer:**

- A Limited Lifetime Warranty\* for as long as you own your home
- The protection of a 130-MPH wind warranty\*
- The high-performance of SureNail® Technology
- A TruDefinition® Color Platform
- StreakGuard™ Protection with a 10-year Algae Resistance Limited Warranty\*\*/1

Storm Cloud†



## The SureNail® Difference — A technological breakthrough in roofing.

The innovative features of Owens Corning® TruDefinition® Duration® Designer Colors Collection Shingles with patented SureNail® Technology offer the following:



### Excellent Adhesive Power

Helps keep the shingle layers laminated.

### Outstanding Grip


The SureNail® strip enhances the already amazing grip of our proprietary Tru-Bond\*\*\* sealant for exceptional wind resistance of a 130-MPH wind warranty.\*

### Breakthrough Design

Patented SureNail® Technology is the first and only reinforced nailing zone on the face of the shingle.

### "No Guess" Wide Nailing Zone

This tough, engineered woven-fabric strip is embedded in the shingle to create an easy-to-see strong, durable fastener zone.



### Triple Layer Protection\*\*

A unique "triple layer" of reinforcement occurs when the fabric overlays the two shingle layers, called the common bond area.

### Double the Common Bond

SureNail® features up to a 200% wider common bond area in the nailing zone over standard shingles.

## The Finishing Touch

### Owens Corning® Hip & Ridge Shingles

Owens Corning® Hip & Ridge shingles are uniquely color matched to the Duration® Designer Colors Collection Shingles. The multiple color blends are only available from Owens Corning® Roofing and offer a finished look for the roof.



# beautiful and

TruDefinition®

## **DURATION® DESIGNER COLORS COLLECTION**

Shingles *with Patented SureNail® Technology*



**Aged Copper†**



**Black Sable†**



**Merlot†**



**Pacific Wave†**

*durable*



**Sand Dune<sup>†</sup>**



**Sedona Canyon<sup>†</sup>**



**Storm Cloud<sup>†</sup>**



**Summer Harvest<sup>†</sup>**



## Your Exterior Design coming to Life

Whether you're on a multiple-step journey to a total home exterior make-over, or are just getting a new roof, our Design EyeQ® visualization tool lets you try on different Owens Corning® shingles as well as experiment with other exterior or accent colors. Upload a photo of your home or use one of our model homes.

Our Duration® Designer Colors Collection Shingles are so uniquely beautiful that they'll help you think about color and texture in a whole new way. Each shingle is made up of several color granules that inspire imaginative color palettes. Each color provides an opportunity to unify all of your home's details, like brick, stone, paint, shutters, siding, stucco and more.

If you're looking for design ideas, we've developed color palettes for you. See a few shown in this brochure or find more at [roofingfashioncolors.com](http://roofingfashioncolors.com).



### Design Flexibility

See how the same Duration® Designer roof color, SUMMER HARVEST, can easily go with three different exterior color palettes.






AFTER ▲  
Black Sable

BEFORE ►



# Total Protection Roofing System®

Owens Corning® Total Protection Roofing System®^ integrates engineered Owens Corning® components that work together to address these three primary performance areas, critical to a high-performance roof, while also making it easy to understand the importance of each. With Owens Corning, it's easy to confidently deliver total protection, beauty and peace of mind.



## Product Attributes

### Warranty Length\*

Limited Lifetime‡  
(for as long as you own your home)

### Wind Resistance Limited Warranty\*

130 MPH

### Algae Resistance Limited Warranty\*

10 Years

### TRU PROtection® Non-Prorated Limited Warranty\* Period

10 Years



Algae resistance available in areas shown in white.

## TruDefinition® Duration® Shingles Product Specifications

Size	13 1/4" x 39 3/8"
Application Exposure	5 5/8"
Shingles per Bundle	Not less than 20
Average Shingle Count per 3 Bundles	64
Average Coverage per 3 Bundles	98.4 sq. ft.

## Applicable Standards and Codes

- ASTM D228
- ASTM D3018 (Type 1)
- ASTM D3161 (Class F Wind Resistance)
- ASTM D3462
- ASTM D7158 (Class H Wind Resistance)
- ASTM E108/UL 790 (Class A Fire Resistance)
- Florida Product Approval
- ICC-ES AC438#
- Miami-Dade County Product Approval<sup>§</sup>
- PRI ER 1378E01

\* See actual warranty for complete details, limitations and requirements.

\*\* *Tru-Bond* is a proprietary premium weathering-grade asphalt sealant that is blended by Owens Corning.

† Owens Corning strives to accurately reproduce photographs of shingles. Due to manufacturing variances, the limitations of the printing process and the variations in natural lighting, actual shingle colors and granule blends may vary from the photo. The pitch of your roof can also impact how a shingle looks on your home. We suggest that you view a roofing display or several shingles to get a better idea of the actual color. To accurately judge your shingle and color choice, we recommend that you view it on an actual roof with a pitch similar to your own roof prior to making your final selection. Color availability subject to change without notice. Ask your professional roofing contractor for samples of colors available in your area.

+ The amount of Triple Layer Protection® may vary on shingle-to-shingle basis.

‡ 40-Year Limited Warranty on commercial projects.

§ Applies for all areas that recognize a Miami-Dade Notice of Acceptance (NOA).

# International Code Council Evaluation Services Acceptance Criteria for Alternative Asphalt Shingles.

^ Excludes non-Owens Corning® roofing products such as flashing, fasteners, pipe boots and wood decking.

1 StreakGuard® Algae Resistance Technology is not available in the Compton and Denver service area.

For patent information, please visit [www.owenscorning.com/patents](http://www.owenscorning.com/patents)

SureNail® Technology is not a guarantee of performance in all weather conditions.

SureNail® Technology is available only on Owens Corning® Duration® Series Shingles.

Shingles are algae resistant to help control the growth of algae and discoloration.



OWENS CORNING ROOFING AND ASPHALT, LLC  
ONE OWENS CORNING PARKWAY  
TOLEDO, OHIO, USA 43659

1-800-GET-PINK®  
[www.owenscorning.com/roofing](http://www.owenscorning.com/roofing)



TruDefinition®  
**DURATION®**  
 Shingles with Patented SureNail® Technology



Colonial Slate†



**TOTAL PROTECTION. TOTAL CONFIDENCE.®**



**SEAL.**



**DEFEND.**



**BREATHE.**

# TruDefinition® **DURATION®**

Shingles with Patented SureNail® Technology

## **Bold contrast. Deep dimension. TruDefinition®.**

TruDefinition® Duration® Shingles are specially formulated to provide great contrast and dimension to any roof. Through the use of multiple granule colors and shadowing, TruDefinition® Duration® Shingles offer a truly unique and dramatic effect. This exclusive combination of color and depth is what makes TruDefinition® Duration® Shingles like no other.

TruDefinition® Duration® Shingles are available in popular colors with bold, lively contrast and complementing shadow lines for greater dimension. They feature a Limited Lifetime Warranty\*/\*\* (for as long as you own your home) and a 130-MPH Wind Resistance Limited Warranty\*. TruDefinition® Duration® Shingles are produced with StreakGuard™ Protection to inhibit the growth of airborne blue-green algae\* that can cause unsightly dark streaks on your roof. Owens Corning provides a 10-year Algae Resistance Limited Warranty.\* Beyond the outstanding curb appeal and impressive warranty coverage, they also come with the advanced performance of patented SureNail® Technology.



Teak† ▼



### **The SureNail® Difference—**

**A technological breakthrough in roofing.** The innovative features of

Owens Corning® TruDefinition® Duration® Shingles with patented SureNail® Technology offer the following:


**Breakthrough Design.** Featuring a tough, woven engineered reinforcing fabric to deliver consistent fastening during installation.

**Triple Layer Protection.** A unique “triple layer” of reinforcement occurs when the fabric overlays the common bond of the shingle laminate layers that offers excellent fastener holding power.

**Outstanding Grip.** Our enhanced Tru-Bond®\* sealant grips tightly to the engineered fabric nailing strip on the shingle below.


**Excellent Adhesive Power.** Specially formulated, wide adhesive bands help keep shingle layers laminated together.

**Exceptional Wind Resistance.** Engineered to deliver 130-MPH\* wind warranty performance with only 4 nails. Fewer nails required can mean fewer deck penetrations.






Amber†



Brownwood†



Chateau Green†



Colonial



Onyx Black†



Quarry Gray†



Shasta White†



Sierra G



Slate†



Desert Tan†



Driftwood†




Estate Gray†



Gray†



Slatestone Gray†



Teak†



Terra Cotta†



ay†



Harbor Blue†



a†



# ENERGY STAR® IS FOR ROOFS TOO



Similar to the energy-efficient appliances in your home, roofing products can help provide energy-saving qualities. Owens Corning® ENERGY STAR® qualified shingles can help reduce your heating and cooling bills when installed properly. These shingles reflect solar energy, helping to decrease the amount of heat transferred to a home's interior — and the amount of air conditioning needed to keep it comfortable. Actual savings will vary based on geographic location and individual building characteristics. Call 1-800-GET-PINK® or 1-888-STAR-YES for more information.

## Product Attributes

### Warranty Length\*

Limited Lifetime\*\* (for as long as you own your home)

### Wind Resistance Limited Warranty\*

130 MPH

### Algae Resistance Limited Warranty\*

10 Years

### TRU PROtection® Non-Prorated Limited Warranty\* Period

10 Years



## TruDefinition® Duration® Shingles Product Specifications

Size	13 1/4" x 39 5/8"
Application Exposure	5 5/8"
Shingles per Bundle	Not less than 20
Average Shingle Count per 3 Bundles	64
Average Coverage per 3 Bundles	98.4 sq. ft.

## Applicable Standards and Codes

ASTM D228

ASTM D3018 (Type 1)

ASTM D3161 (Class F Wind Resistance)

ASTM D3462

ASTM D7158 (Class H Wind Resistance)

ASTM E108/UL 790 (Class A Fire Resistance)

ICC-ES AC438\*

PRI ER 1378E01

Shasta White color meets ENERGY STAR® requirements for initial solar reflectance of 0.25 and 3-year aged solar reflectance of 0.15; 2013 California Building Energy Efficiency Standards, Title 24, Part 6 requirements; rated by the Cool Roof Rating Council (CRRC).

\* See actual warranty for complete details, limitations and requirements.

\*\* 2018 Roofing Brand Awareness Study by Owens Corning Roofing and Asphalt, LLC.

† Owens Corning Roofing strives to accurately reproduce photographs of shingles. Due to manufacturing variances, the limitations of the printing process and the variations in natural lighting, actual shingle colors and granule blends may vary from the photo. The pitch of your roof can also impact how a shingle looks on your home. We suggest that you view a roofing display or several shingles to get a better idea of the actual color. To accurately judge your shingle and color choice, we recommend that you view it on an actual roof with a pitch similar to your own roof prior to making your final selection. Color availability subject to change without notice. Ask your professional roofing contractor for samples of colors available in your area.

+ The amount of Triple Layer Protection® may vary on shingle-to-shingle basis.

‡ Tru-Bond® is a proprietary premium weathering-grade asphalt sealant that is blended by Owens Corning Roofing and Asphalt, LLC.

‡‡ 40-Year Limited Warranty on commercial projects.

Owens Corning Roofing Preferred Contractors are independent contractors and are not an affiliate of Owens Corning Roofing and Asphalt, LLC, or its affiliated companies.

For patent information, please visit [www.owenscorning.com/patents](http://www.owenscorning.com/patents).

SureNail® Technology is not a guarantee of performance in all weather conditions.

SureNail® Technology is available only on Owens Corning® Duration® Series Shingles.

ENERGY STAR and the ENERGY STAR mark are registered trademarks of the U.S. Environmental Protection Agency.

# International Code Council Evaluation Services Acceptance Criteria for Alternative Asphalt Shingles.

^ Excludes non-Owens Corning® roofing products such as flashing, fasteners, pipe boots and wood decking.



# HOME SWEET HOME

**Your home is your sanctuary.** It's the place where you want to feel the most comfortable. Safe. Protected. But no matter how much you love your house, it seems the work is never completely done. And if purchasing a new roof is on your to-do list, it may seem like a daunting task — especially if your roof is already damaged or leaking. Since a roof plays such an important role in protecting you and your family from the elements, you realize that you can't let the damage get out of hand.

Don't worry, we know that a roof replacement project is a big, important decision. You can feel confident about choosing our roofing products — Owens Corning has been a recognized leader in the building industry for over 75 years. In fact, we're America's most trusted roofing brand.\*\* Not only can we help you choose the right shingle and roofing system components, we can also help you select the right contractor for the job — an Owens Corning Roofing Preferred Contractor.

Together we can make this a positive experience — an opportunity, really. This is your chance to choose a roof that not only has outstanding performance, but also has exceptional beauty. So for years to come, you'll feel great every time you pull in the driveway.

**Protected. Proud. Home.**





# Total Protection Roofing System<sup>® ^</sup>

## TOTAL PROTECTION SIMPLIFIED™



Owens Corning® Total Protection Roofing System<sup>® ^</sup> integrates engineered Owens Corning® components that work together to address these three primary performance areas, critical to a high-performance roof, while also making it easy to understand the importance of each. **With Owens Corning, it's easy to confidently deliver total protection, beauty and peace of mind.**



### SEAL.

SELF-ADHERED ICE & WATER BARRIER  
SYNTHETIC UNDERLAYMENT



### DEFEND.

STARTER SHINGLES  
LAMINATE SHINGLES  
HIP & RIDGE SHINGLES



### BREATHE.

INTAKE VENTS  
EXHAUST VENTS

### + COMFORT.

PINK® FIBERGLAS™  
BLOWN-IN  
ATTIC INSULATION



**OWENS CORNING ROOFING AND ASPHALT, LLC**  
ONE OWENS CORNING PARKWAY  
TOLEDO, OHIO, USA 43659  
**1-800-GET-PINK®**  
[www.owenscorning.com/roofing](http://www.owenscorning.com/roofing)

Pub. No. 10013980-I. Printed in U.S.A. May 2020.  
THE PINK PANTHER™ & © 1964–2020 Metro-Goldwyn-Mayer Studios Inc.  
All Rights Reserved. The color PINK is a registered trademark of Owens Corning.  
© 2020 Owens Corning. All Rights Reserved.

(Brookville, Kearny, Medina, Minneapolis, Summit)





# OAKRIDGE<sup>®</sup>

Shingles



Flagstone<sup>1</sup>



**TOTAL PROTECTION. TOTAL CONFIDENCE.<sup>®</sup>**



**SEAL.**



**DEFEND.**



**BREATHE.**



# Oakridge® Shingles

## Make it your own.

When does a house become a home? When the place you live in begins to reflect the life you're living. When every change, both big and small, makes it more and more your own. Choosing a new roof is your opportunity to make a major impact on the look of your home — and we're here to help. Owens Corning has been a leader in the building materials industry for over 75 years. So you can be confident that your new roof will enhance and help protect your home for years to come.

## The Right Choice.®

Oakridge® Shingles are The Right Choice® for long-lasting performance and striking beauty. In addition to a wide range of inviting, popular colors, they also offer:

- Limited Lifetime Warranty\*/\* (for as long as you own your home)
- 110/130\*\* MPH Wind Resistance Limited Warranty\*
- StreakGuard™ Protection with a 10-year Algae Resistance Limited Warranty.\*

## Your home is your canvas.

*At Owens Corning Roofing, we're always looking for ways to help you express your sense of style through your home, which is why we've expanded the Oakridge® color palette with these inspiring selections.*

Oakridge® Shingles are specially designed to provide a unique blend of artistry and craftsmanship that will give your home a look that is anything but ordinary. Blacks and grays are rich and warm, earth tones capture the vibrancy of nature's brightest hues, and bold color combinations help enhance a wide variety of exterior accents and landscaping. Plus, every Oakridge® Shingle features great contrast and color depth to add drama and curb appeal to your entire home.





Brownwood†



Chateau Green†

Not Available in Service Area 1 (see map).




Desert Tan†



Driftwood†



Estate Gray†



Onyx Black†



Shasta White†



Sierra Gray†



Teak†

Not Available in Service Area 1 (see map).

Enhanced colors and bold designs.



Aged Cedar†



Flagstone†



Peppermill Gray†




Sand Castle†



Twilight Black†

Color Availability Map



## ENERGY STAR® is for roofs too.



Similar to the energy-efficient appliances in your home, roofing products can help provide energy-saving qualities. Owens Corning® Oakridge® Roofing Shingles in Shasta White can help reduce your heating and cooling bills when installed properly. These shingles reflect solar energy, helping to decrease the amount of heat transferred to a home's interior — and the amount of air conditioning needed to keep it comfortable. Actual savings will vary based on geographic location and individual building characteristics. Call 1-800-GET-PINK® or 1-888-STAR-YES for more information.

### Product Attributes

**Warranty Length\***

Limited Lifetime† (for as long as you own your home)

**Wind Resistance Limited Warranty\***

110/130\*\* MPH

**Algae Resistance Limited Warranty\***

10 Years

**TRU PROtection® Non-Prorated Limited Warranty\* Period**

10 Years

### Product Specifications

Size 13¼" x 39⅜"

Application Exposure 5⅝"

Shingles per Bundle Not less than 20

Average Shingle Count per 3 Bundles 64

Average Coverage per 3 Bundles 98.4 sq. ft.

### Applicable Standards and Codes

ASTM D228

ASTM D3018 (Type 1)

ASTM D3161 (Class F Wind Resistance)

ASTM D3462


ASTM D7158 (Class H Wind Resistance)

ASTM E108/UL 790 (Class A Fire Resistance)

ICC-ES AC438#

PRI ER 1378E01

Shasta White color meets ENERGY STAR® requirements for initial solar reflectance of 0.25 and 3-year aged solar reflectance of 0.15; 2013 California Building Energy Efficiency Standards, Title 24, Part 6 requirements; rated by the Cool Roof Rating Council (CRRC).



The perfect finishing touch.

Owens Corning® Roofing Hip & Ridge Shingles do more than just deliver added protection to the most vulnerable areas of your roof — they enhance the roofline and help define the character of your entire home.

Don't accept a generic substitute. Be sure to choose the right Owens Corning® Roofing Hip & Ridge style and specially matched color to provide the perfect finishing touch to your new roof.



Peppermill Gray<sup>†</sup>



Desert Tan†



# Total Protection Roofing System<sup>®^</sup>

## TOTAL PROTECTION SIMPLIFIED™



Owens Corning<sup>®</sup> Total Protection Roofing System<sup>®^</sup> integrates engineered Owens Corning<sup>®</sup> components that work together to address these three primary performance areas, critical to a high-performance roof, while also making it easy to understand the importance of each. **With Owens Corning, it's easy to confidently deliver total protection, beauty and peace of mind.**

### SEAL.

SELF-ADHERED ICE & WATER BARRIER  
SYNTHETIC UNDERLAYMENT

### DEFEND.


STARTER SHINGLES  
LAMINATE SHINGLES  
HIP & RIDGE SHINGLES

### BREATHE.

INTAKE VENTS  
EXHAUST VENTS

### + COMFORT.

PINK<sup>®</sup> FIBERGLAS<sup>™</sup>  
BLOWN-IN  
ATTIC INSULATION



## Home sweet home.

Owens Corning Roofing wants to help make your purchase of a new roof a positive experience. Not only can we help you choose the right shingle and roofing system components, but we can also help you select the right contractor for the job. Don't worry — we know this is a big decision. We're here to help you feel confident about choosing our roofing products. After all, we're America's most trusted roofing brand<sup>††</sup> for a reason.



Want design assistance or more information about Owens Corning® Roofing products? Or want to find an Owens Corning Roofing Preferred Contractor network member?

It's easy to reach us:

1-800-GET-PINK®  
[www.owenscorning.com/roofing](http://www.owenscorning.com/roofing)

\* See actual warranty for complete details, limitations and requirements.

\*\* 110 MPH is standard with 4-nail application. 130 MPH is applicable only with 6-nail application and Owens Corning® Starter Shingle products application along eaves and rakes in accordance with installation instructions.

† Owens Corning strives to accurately reproduce photographs of shingles. Due to manufacturing variances, the limitations of the printing process and the variations in natural lighting, actual shingle colors and granule blends may vary from the photo. The pitch of your roof can also impact how a shingle looks on your home. We suggest that you view a roofing display or several shingles to get a better idea of the actual color. To accurately judge your shingle and color choice, we recommend that you view it on an actual roof with a pitch similar to your own roof prior to making your final selection. Color availability subject to change without notice. Ask your professional roofing contractor for samples of colors available in your area.

‡ 40-year Limited Warranty on commercial projects.

†† 2018 Roofing Brand Awareness Study by Owens Corning Roofing and Asphalt LLC.

# International Code Council Evaluation Services Acceptance Criteria for Alternative Asphalt Shingles.

ENERGY STAR and the ENERGY STAR mark are registered trademarks of the U.S. Environmental Protection Agency.

^ Excludes non-Owens Corning® roofing products such as flashing, fasteners, pipe boots and wood decking

Shingles are algae resistant to help control the growth of algae and discoloration.

For patent information, please visit [www.owenscorning.com/patents](http://www.owenscorning.com/patents).



**OWENS CORNING  
ROOFING AND ASPHALT, LLC**  
ONE OWENS CORNING PARKWAY  
TOLEDO, OHIO, USA 43659

**1-800-GET-PINK®**  
[www.owenscorning.com/roofing](http://www.owenscorning.com/roofing)

Pub. No. 10017748-F. Printed in U.S.A. October 2019.  
THE PINK PANTHER® & © 1964–2019 Metro-Goldwyn-Mayer Studios Inc. All Rights Reserved. The color PINK is a registered trademark of Owens Corning. © 2019 Owens Corning. All Rights Reserved.



Owens Corning Roofing Platinum and Preferred Contractors are independent contractors and are not affiliates of Owens Corning.

(Brookville, Kearny, Medina, Minneapolis, Summit)