LASTING ELEGANCE

ALUMINUM & SECURITY STORM DOORS 2021











HM-602 Curved Arch Top Storm Door ▲

ALUMINUM STORM DOOR MEASUREMENTS

For door styles below, glass size is fixed for all door heights up to 85° The bottom panel is variable.

ition note below

HM 601 HM 602 HM 701 HM 702


13.25° HM 603° HM 703°


Measurement for typical door size is 36" x 80"


The HM-603/703 panel is always <u>raised trim</u>. It cannot be embossed.


SELF STORING GLASS

The glass opening for the styles below are <u>fixed</u>.
The bottom panel is variable.










HM 607 HM 707 The HM 608/708 panel is always


HM 608" HM 610 HM 708" HM 710 The panel designs of HM 610, and 710 lare embossed if door is 30" or wider. HM 613 HM 713 The HM 613/713 has a flush panel for doggle door

The top glass sizes for the styles below are <u>fixed</u> for door heights up to and including 85".

The glass size will increase for doors over 85" in height.








STORM DOOR FEATURES PAGE 4

Lock options and color options on page 23

	Catalog PG		Catalog PG		Catalog PG
HM- 601	P. 6	HM- 706	P. 9	HS- 600	P. 6
HM- 602	P. 6	HM- 707	P. 9	HS- 601	P. 6
HM- 603	P. 6	HM- 708	P. 9	HS- 602	P. 6
HM- 604	P. 6	HM- 710	P. 9	HS- 603	P. 6
HM- 606	P. 6	HM- 712	P. 9	HS- 604	P. 6
HM- 607	P. 7	HM- 713	P. 9	HS- 605	P. 6
HM- 608	P. 7			HS- 700	P. 9
HM- 610	P. 7			HS- 701	P. 9
HM- 701	P. 9			HS- 702	P. 9
HM- 702	P. 9			HS- 703	P. 9
HM- 703	P. 9			HS- 704	P. 9
HM- 704	P. 9			HS- 705	P. 9

ELITETM ALUMINUM STORM DOOR FEATURES



CLASSICTM ALUMINUM STORM DOOR FEATURES
700 SERIES MAX SIZE 37 X 85

- Not available in arch tops
- White powdercoat color (standard)
- 23 powdercoat colors to match entry door paint colors (optional)
- Rigid 3" Extruded Aluminum Door Frame
- 5/8" Foam Insulation in all doors with a bottom panel
- Extruded Aluminum Corner Gusset System
- Galvannealed Steel Bottom Panel painted same color as door
- 3" Aluminum Bottom Expander painted same color as door
- Bottom Sweep
- Matching Pump

White powdercoat color (Standard) and 24 powdercoat colors to match entry door paint colors (Optional)

door
5/8" Foam Insulation in
all doors with a bottom
panel

Galvannealed Steel Bottom Panel
- painted same color as door

Extruded inted same color as door Corner Gus


Rigid 3" Extruded Aluminum Frame

Tempered Safety

Glass

3" Aluminum Bottom Expander painted same color as door

Bottom Sweep



ALUMINUM STORM DOOR FEATURES FOR 600 & 700 SERIES

Aluminum Extruded Hinges

Continuous extruded hinges, manufactured exclusively by HMI, surpass the quality and durability of anything else offered on the market. Extending from top to bottom, and reinforced with a 1/4" plated steel rod and nylon bushings, our extruded hinges will never sag or warp from the weight of the door. (Painted same color as door.)



Elite™ and Classic™ Storm Doors innovations. It is free of loose parts and accessories, giving the homeowner problem free operation. All the hardware is hidden inside the door frame. One quick turn to loosen and another one to tighten!

All you need is a penny.






OPTIONAL


Expandable Frame - Optional

HMI's patented expandable frame helps make installation a snap and the appearance beautiful. It allows for adjustments up to 3/8". Made of extruded aluminum it creates a perfectly level opening to fit the storm door.


Heat Ventilation System - Optional

Occasionally, heat becomes trapped in between the storm door and entry door leading to condensation build-up or damage to the entry door's paint finish. With the help of our Heat Ventilation System, the hot air is given a path to exit. On the top edge of the storm door are a series of holes. and a vent cap is installed on the face of the door. The vent can be opened during the summer and closed during the winter.





ELITETM STORM DOOR STYLES - 600 SERIES



HMI's Elite™ aluminum storm doors balance form and function. Designed to protect your entry door from the elements, they are heavy duty and built to last. With 13 door styles and 24 matching entry door colors to choose from, your preference is sure to be met. Whether it is a traditional full view; our ergonomic self storing; or our archtop storm door you get what you want.

All glass is tempered safety glass. It is held in place using our exclusive cam lock system giving a secure fit. Choose from standard clear glass or Low-e glass.



HM-**604** pg. 3 HM-**606** pg. 3

HM-**601** Double Storm Door ▼


* FULL SCREEN WITHOUT CENTER BAR

Enjoy the beauty of your entry door glass without the obstruction of a center support bar on the storm door screen. The HM-601, 602 and 603 have a 1 ½" heavy extrusion aluminum screen frame eliminating the center bar.



1 ½" Heavy Extrusion Aluminum Screen frame





pg. 6

pg. 6

pg. 6

pg. 6


* indicates screens without center bar

pg. 6


pg. 6

ARCH TOP ALUMINUM STORM DOORS

Custom made to fit your entryway, our elite aluminum storm doors are available in 5 arch top shapes. They are pre-formed to fit your opening. The glass is held in place using our cam lock system giving a secure fit. Screens for 601, 602, 603 have center support bar.







SELF-STORING GLASS - 600 SERIES










HM-**608** pg. 3 Arch Top Available



HM-**610** pg. 3


- Two moveable glass panels operate independently from top, bottom or both
- Glass frame designed to stay in track
- Nylon guide for smooth operation
- Removable screen
- Easy touch sliding glass lock





HM-**608** Self-Storing Storm Door ▲






HM-**602** Camber Top Storm Door ▲



HM-702 Storm Door ▼

CLASSICTM STORM DOOR STYLES - 700 SERIES

MAX SIZE 37 X 85




Screen for HM-701, HM-702 and HM-703 has a horizontal stabilizer bar.




a traditional full view or ergonomic pg. 5

Arch tops are not available for 700 Series




White For additional (optional) powdercoat colors see color chart on inside back cover



pg. 6

HS-701 pg. 6










HS-704 HS-**705** pg. 6 pg. 6

SELF-STORING GLASS



HM-707 pg. 5



pg. 5



HM-710 pg. 5




HM-713 - Self-Storing pg. 5

PET DOOR


We have not forgotten your best friends. A pet door can be added to HM-612 and HM-613 flush bottom doors.



ARCH TOP OPTIONS




SECURITY STORM FEATURES



FOR TRANSOMS AND SIDELITES AVAILABLE SEE PRICE BOOK

ALUMINUM STORM DOOR LOCK OPTIONS



■ White ■ Black ■ Polished Brass ■ Antique Brass ■ Satin Nickel ■ Aged Bronze

Magazine Slot 3 ½ x 13 - 🔲 🔲 🔳

Mail Slot 3 x 10 - 🔲 🔲

SECURITY STORM DOOR LOCK OPTIONS

Refer to index for measurements







For Security Doors Only

> Double Cylinder - Standard Keyed Exterior & Interior

Single Cylinder - Optional Keyed Exterior & Thumb Turn Interior

POWDERCOAT FINISHES

All Aluminum and Security Storm doors manufactured by HMI are coated with a "state-of-the-art" powdercoat finish to give years of trouble free enjoyment. The metal is cleaned and treated with chemically balanced detergents. The doors are then top coated with a powdercoating that is electrostatically applied and finally baked at 400° offering excellent adhesion, hardness, chemical resistance and weather resistance.



In addition to the 25 standard powdercoat finishes, HMI offers over 200 Custom Powdercoat Finishes. Please consult your local dealer for details.

Note: These sample colors do not accurately reflect actual painted surface color. For closer accuracy please use HMI Color Chips or refer to the HMI Color Guide.



Indicates that lock can be keyed to entry door lock
Indicates that lock cannot be keyed to entry door lock

We can also paint your door a custom color with a color sample



BE SURE TO ALSO LOOK AT OUR ENTRY DOOR CATALOG





Distributed by:



PROUDLY MADE IN THE U.S.A.

www.hmidoors.com Copyright © 2020 Household Metals, Inc.